

S30 7	4	(switch near2 metadata)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 12:39
S30 8	2	"5878434".pn. and (central near2 computer)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:39
S30 9	54	(central near2 computer) with directory	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 13:17
S31 0	26	(central near2 computer) and (global near2 directory)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 13:20
S31 1	50	(object near2 oriented) and (global near2 directory)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 13:39
S31 2	6	(global near2 directory) same query	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 13:40
S31 3	122	(global near2 directory) and distributed and servers	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 13:40
S31 4	33	(global near2 directory) and distributed and servers and (classes same object)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 13:54
S31 5	2	"5878434".pn.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 13:54
S31 6	2	"5878434".pn. and central	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:13

S31 7	1	"5878434".pn. and central and servers	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 13:55
S31 8	24	query same (classes same objects) same server	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:17
S31 9	1	(central near2 computer) same (search\$ same classes)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:18
S32 0	0	(central near2 computer) same (search\$ same object-oriented)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:18
S32 1	0	(central near2 computer) same (search\$ same classes same object)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:18
S32 2	33	(central near2 computer) and (search\$ same classes same object)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:28
S32 3	218	707/103 and (object near2 oriented) and (classes same definitions)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:29
S32 4	142	S323 and distributed	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:29
S32 5	6	S323 and distributed and (central near2 server)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:29
S32 6	6	S323 and distributed and (central near2 server) and (search\$ or retriev\$)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:30

S32 7	0	"5878434".pn. and query	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:39
S32 8	1	"5878434".pn. and request	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:40
S32 9	1472	(search\$3 with (classes or definitions))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:41
S33 0	17	(search\$3 with (classes or definitions)) and (object near2 oriented) and (central near2 server)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:44
S33 1	0	(viewing near2 classes) with definitions	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:45
S33 2	11	(display\$3 near2 classes) with definitions	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:45
S33 3	18	707/103 and (object near2 oriented) and (display\$3 same classes same definitions)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:50
S33 4	2596	(displaying same (instances of classes))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:50
S33 5	36	(displaying same (instances of classes)) same logical	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:54
S33 6	0	(displaying same (instances of classes)) same (logical near2 term)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:50

S33 7	6	xml same convert\$ same (object-oriented)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 15:53
S33 8	39	xml same convert\$ same class	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 14:55
S33 9	1792	(web near2 filter)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 15:54
S34 0	3	S339 and (classes same object)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 16:14
S34 1	2	(filter same (authorship))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 16:15
S34 2	2320	(filter same constraints)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 16:15
S34 3	0	(filter same constraints) same (web near2 filter)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 16:16
S34 4	2	(filter same constraints) same (web with filter)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 16:16
S34 5	2	constraints same (web with filter)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 16:16
S34 6	5671	(web with filter)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 16:16

S34 7	45	(web with filter) and object-oriented	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 16:20
S34 8	1	"5838965".pn. and (central or global)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 16:35
S34 9	2	(global near2 directory) and (class same (relation near2 definitions))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 16:36
S35 0	0	(global near2 database) and (class same (relation near2 definitions))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 16:37
S35 1	0	(central near2 directory) and (class same (relation near2 definitions))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 16:37
S35 2	2	(directory or (file near2 system))same (class same (relation near2 definitions))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 16:38
S35 3	4	(directory or (file near2 system)) and (class same (relation near2 definitions))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 16:38
S35 4	693	(directory or (file near2 system)) and (class same definitions)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 16:39
S35 5	454	((global near2 directory) or (file near2 system)) and (class same definitions)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 16:39
S35 6	33	((global near2 directory) or (file near2 system)) same (class same definitions)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 17:05

S35 7	2	"5838965".pn.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 17:05
S35 8	1	"5838965".pn. and definition	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 17:30
S35 9	12	repositories same class same definitions	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 17:31
S36 0	344	global near2 directory	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 17:31
S36 1	2	S360 and distributed and (class same (relation near2 definitions))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 17:32
S36 2	19	S360 and distributed and (class same definitions)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 17:35
S36 3	2	S360 and (central near2 database) and (class same definitions)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 17:49
S36 4	1700	(distributed same object-oriented)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 17:49
S36 5	20	S364 and (repositories same class)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 17:51
S36 6	47	(repositories with class)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 17:57

S36 7	23176	central near2 computer	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 17:58
S36 8	0	S367 same classes same relations	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 17:58
S36 9	1	S367 same classes same relations	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 17:59
S37 0	60	S367 same classes	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 18:00
S37 1	716	S367 and (object near2 oriented)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 18:01
S37 2	418	S367 and (object near2 oriented) and distributed	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 18:01
S37 3	94	S367 and (object near2 oriented) and distributed and (hierarch\$ with classes)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 18:06
S37 4	3155	707/204 or 707/205	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 18:06
S37 5	17	S374 and classes and definition and server and directory and repositories	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/26 16:22
S37 6	4	"6708161".pn.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 07:29

S37 7	10	Ng.in. and DBMS	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 07:47
S37 8	38	Vahalia.in.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 07:48
S37 9	13	Vahalia.in. and attribute	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 07:48
S38 0	19	Vahalia.in. and attributes	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 07:49
S38 1	0	Vahalia.in. and (attributes near2 are near2 written near2 disk)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 07:49
S38 2	8	Vahalia.in. and (attributes with written near2 disk)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 07:50
S38 3	8	Vahalia.in. and (attributes with written with disk)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 08:23
S38 4	1491	Agarwal.in.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 08:24
S38 5	5	Agarwal.in. and ((SQL near2 statement) with predicate)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 10:36
S38 6	5	Boyer.in. and ranked	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 08:35

S38 7	63	(optimize same statistics same (SQL near2 statements))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 08:41
S38 8	0	(higher same statistics same (SQL near2 statement))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 08:41
S38 9	0	(higher same statistics) same (SQL near2 statments)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 08:46
S39 0	14	(statistics) with (SQL near2 statement)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 08:47
S39 1	0	(statistics) with (SQL near2 statement) same higher	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 08:47
S39 2	0	(statistics) with (SQL near2 statement) same compare	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 08:47
S39 3	14	(statistics) with (SQL near2 statement)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 08:49
S39 4	2	"6003022".pn.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 09:00
S39 5	0	(compare with (SQL near2 statements))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 09:01
S39 6	1647910	(frequency (SQL near2 statements))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 09:01

S39 7	4	(frequency with (SQL near2 statements))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 09:22
S39 8	15207	Seo.in.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 09:22
S39 9	15207	Seo.in. andJDBC	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 09:22
S40 0	2	Seo.in. and JDBC	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 09:22
S40 1	3	"6735585".pn.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 11:56

Google [Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

The "AND" operator is unnecessary --- we include all search terms by default. [\[details\]](#)

Web Results 1 - 6 of 6 for **searching global directory and classes and retional definitions and distributed**

Did you mean: searching global directory and classes and **rational** definitions and distributed file system

[Anesthesiology & Surgery Center - Martindale's Health Science Guide](#)
[Definitions of Enzyme Classes, Subclasses and Sub-subclasses ... ANESTHESIOLOGY - GASNet - Global Anesthesiology Server Network Multimedia \(Text, ...](#)
www.toancausoft.com.vn/utc/hsg/MedicalSurgery.html - 513k - [Cached](#) - [Similar pages](#)

[\[PDF\] Ei 2000, Internet Imaging I](#)
File Format: PDF/Adobe Acrobat - [View as HTML](#)
classes among all the feature vectors. When applying this algorithm ...
Mediterranean Cultural **Directory**, an informative **system** for cultural heritage. ...
www.inventoland.net/imaging/EI/ii2000.pdf - [Similar pages](#)

[\[PDF\] Small The Language](#)
File Format: PDF/Adobe Acrobat - [View as HTML](#)
... arithmetic, it may be more convenient to "#include" the **definitions** from the file
float and ... case of a string parameter, one can simply search for the ...
24.110.116.107:8888/modules.php?name=Downloads&d_op=getit&lid=4 - Supplemental Result - [Similar pages](#)

THE BEST SOLUTION to this question: THE RIGHT ANSWER IS how to get ...
... sadly gloria defensive nervously **directory** ici art ... examining rojt grant **global**
establishing redistributive3 ... fleet explored advice **searching** glasgow preparing ...
www.deskence.com/n1306.html - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

THE BEST SOLUTION to this question: THE RIGHT ANSWER IS how to get ...
... johnny endsd **directory** qualifications towards ... sizes calculate **global** inspector
intellectuals ... dconservatives experijmental **searching** unsuitable conservstives ...
www.deskance.net/index94.html - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

THE BEST SOLUTION to this question: THE RIGHT ANSWER IS how to get ...
... plantzs streams encountered **global** swhare **class** ... daddy drescribed determines search
blacks temples ... remove carefully reputation **directory** factory strategies ...
www.deskance.com/index66.html - 101k - Supplemental Result - [Cached](#) - [Similar pages](#)

Did you mean to search for: searching global directory and classes and **rational** definitions and distributed file system

Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#)

Google

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google